



PRODUCT COMPLIANCE SCHEDULE

GLASSCO AUSTRALIA PTY LTD.

ABN 85 128 281 014

COMPANY ADDRESS:

370-372 Hammond Road, Dandenong South, VIC 3175, Australia.

This schedule identifies the Certified Product(s) on which the PAS-Mark and ID. Number may be used.

AS 4666:2012 Insulating Glass Units

Types of substrates:	Annealed, Hard Coated, Soft Coated (Luxeco), Low E Glazing, Patterned, Laminated and Toughened Heat Strengthened. Any combination of the above substrates. <i>Note:</i> 1. <i>Wired glass is not covered in the make-up of the completed IGU unit.</i> 2. <i>Edge deletion is undertaken on coated glazing where required.</i>
Types of sealants:	YBS 101 Primary Seal: Polyisobutylene. Manufacturer: Yiyang, Product Number 120424, Trade Name: YY-901. TSS 201 Secondary Seal, Silicone, Manufacturer: Yiyang, Product Number 140528, Trade Name: ZF-9900.
Spacer bar description:	SRGM Black bendable aluminium spacer bar.
Spacer bar width:	5.5mm, 7.5mm, 9.5mm, 11.5mm, 13.5mm, 15.5mm, 17.5mm and 19.5mm.
Desiccant:	NMS211, Molecular sieve (MS) 0.5mm to 0.9mm,
Construction components:	Plastic corner connector.
Fabrication technique:	Bent corners (4)
Brand Name Endorsement	TransGlaze Pty Ltd

This schedule supersedes any previously issued schedule.

Assessment ID No: CSI-7171
Issue date: 20 July 2020
Schedule No: 7171-2020-07-S3-Rev1

Certification date: 16 July 2020
Expiry date: 19 July 2021


Azma Khan
 Managing Director
 Certification Solutions
 International Pty Ltd

